

# LO - Deactivation from Betradar



The Betradar system can, for various reasons, deactivate odds. It is possible that all odds for a match get deactivated, one entire bet type, or just one OddsField.

## XML example

```
<BetradarLiveOdds xmlns="http://www.betradar.com/BetradarLiveOdds"
status="change" timestamp="1199777659034">
<Match active="1" betstatus="started" matchid="4761252" matchtime="41"
matchtime_extended="40:48" msgnr="88" score="0:0" setscores=
0:0" status="1p">
<Odds active="1" changed="true" combination="0" freetext="Asian
Handicap" ftr="-1.0" id="52891500" mostbalanced="0" specialoddsvalue
="-1.0" subtype="34" type="ft2w" typeid="7">
<OddsField active="1" type="1" typeid="17">2.15</OddsField>
<OddsField active="1" type="2" typeid="18">1.65</OddsField>
</Odds>
<Odds active="0" changed="false" combination="0" freetext="Asian
Handicap" ftr="-1.25" id="52891512" mostbalanced="0"
specialoddsvalue="-1.25" subtype="34" type="ft2w" typeid="7"/>
<Odds active="1" changed="true" combination="0" freetext="Asian total
first half" id="52891518" mostbalanced="0" specialoddsvalue="1.0"
subtype="35" type="ftnw" typeid="8">
<OddsField active="0" type="under" typeid="116"/>
<OddsField active="1" type="over" typeid="117">11.75</OddsField>
</Odds>
</Match>
</BetradarLiveOdds>
```

## XML attributes definition

Element	Attributes		
	Attribute	Description	Possible values
Match, Odds, OddsField	active	Whether this node is active. For example: A bet type can be active, but only 2 out of 3 OddsFields are active. This gives the opportunity to deactivate all odds for a match, an entire bet type, or just one Odds- Field for a bet type.	Integer 1 = active  0 = deactivated

[Back to top](#)