LO - Match meta information

Table of contents:

Match meta information messages contain the general information about a match. This message gets sent out by Betradar on
the following occasions:

• When a match becomes available;
• When a match becomes unavailable;
• When parameters change (e.g. start time of the match).

Additionally, match meta information messages can be requested by the client system by sending a meta request. To make sure that the client system has the most recent match meta information, it is recommended to send meta requests periodically, and update possible changes in the client system.

Standard meta information message:

The standard meta information message contains the date and time of the match, sport, category, tournament, teams and what TV-channels this match is broadcasted.

XML example

```
<BetradarLiveOdds timestamp="1184145290125" xmlns="http://www.betradar.
com/BetradarLiveOdds" status="meta" >
<Match active="1" matchid="505484" status="not_started">
<MatchInfo>
<DateOfMatch>1184175000000</DateOfMatch>
<Sport id="1">Soccer</Sport>
<Category id="17">Austria</Category>
<Tournament id="29">T-Mobile Bundesliga</Tournament>
<HomeTeam id="6589" uniqueid="2051">SK PUNTIGAMER STURM GRAZ</HomeTeam>
<AwayTeam id="6597" uniqueid="2203">FK AUSTRIA MAGNA</AwayTeam>
<TvChannels>
<TvChannel>PREMIERE Austria</TvChannel>
<TvChannel>PREMIERE SPORT PORTAL</TvChannel>
</TvChannels>/>
</MatchInfo>
</Match>
</BetradarLiveOdds>
```

XML attributes definition

Element	Attributes			
	Attribute	Description		Possible values
BetradarLiveOdds	*status*	What kind of information is contained in the message.		Long
Match	*active*	Whether the match is still active or not. Set to 0 if the match is either removed, or if the client has unregistered for the match. In both cases a Message element can be added to the match.		Integer 0 = not active 1 = active
	matchid	The id of the match for which the matchinfo is sent.		Long
	status	The context status of the match, i.e. "not_started"		String Examples: not_started in_progress started 1set ...
MatchInfo		The element containing all the match information		-
DateOfMatch		The element contains the start time of the match		Unix timestamp
Sport	-	The element contains a textual representation of the sport		String
	id	The id of the sport		Integer
Category	-	The element contains the name of the category		String
	id	The id of the category		Integer
Tournament	-	The element contains the name of the tournament		String
	id	The id of the tournament		Integer
HomeTeam	-	The element contains the name of the home team		String
	id	The id of the home team in this tournament		Integer
	uniqueid	The id of the home team in all tournaments. Optional attribute, should only be used to identify that two teams in different tournaments are the same.		Integer
AwayTeam	-			String
	id	The id of the away team in this tournament.		Integer
	uniqueid	The id of the away team in all tournaments. Optional attribute, should only be used to identify that two teams in different tournaments are the same.		Integer
TvChannels	-	The element containing all the tv channels		-
TvChannel	-	The element contains the name of the tv channel		String

Note
It is possible to include your own match id's in the meta message. To do this you need to contact our support team, so they can set this up. When this is done, an extra attribute named sourceid will be included in the Match element for meta messages. The value of the attribute will be empty if we are missing your id for a particular match.

Meta information message with information about streaming

In order to get streaming information in the meta information messages the correct XML configuration needs to be enabled.

XML example

```
<BetradarLiveOdds xmlns="http://www.betradar.com/BetradarLiveOdds"
status="meta" timestamp="1405677142338">
<Match active="1" booked="1" matchid="4972075" status="not_started">
<MatchInfo>
<DateOfMatch>1405677600000</DateOfMatch>
<Sport id="1">Soccer</Sport>
<Category id="5">Norway</Category>
<Tournament id="5">Eliteserien</Tournament>
<HomeTeam id="5020" uniqueid="1161">ROSENBORG BK</HomeTeam>
<AwayTeam id="5293699" uniqueid="678">HØNEFOSS BK</AwayTeam>
<TvChannels/>
<Streaming>
<Channel id="1">Live Channel Retail LIVE Match</Channel>
<Channel id="2">Live Channel Retail LIVE Visualisation</Channel>
<Channel id="3">Live Channel Online LIVE Match</Channel>
<Channel id="4">Live Channel Online LIVE Visualisation</Channel>
</Streaming>
</MatchInfo>
</Match>
</BetradarLiveOdds>
```

XML attributes definition

Element	Attribute		
	Attributes	Description	Possible values
Streaming	-	The element containing all the streaming information	-
Channel	-	The element contains the name of the streaming channel	String
	id	The id of the streaming channel	Long

Meta information message with information about coverage

In order to get coverage information in the meta information messages the correct XML configuration needs to be enabled.

XML example

```
<BetradarLiveOdds xmlns="http://www.betradar.com/BetradarLiveOdds"
status="meta" timestamp="1405677142338">
<Match active="1" booked="1" matchid="4972075" status="not_started">
<MatchInfo>
<DateOfMatch>1405677600000</DateOfMatch>
<Sport id="1">Soccer</Sport>
<Category id="5">Norway</Category>
<Tournament id="5">Eliteserien</Tournament>
<HomeTeam id="5020" uniqueid="1161">ROSENBORG BK</HomeTeam>
<AwayTeam id="5293699" uniqueid="678">HØNEFOSS BK</AwayTeam>
<TvChannels/>
<CoverageInfo>
<Type id="1">Extended markets</Type>
</CoverageInfo>
</MatchInfo>
</Match>
</BetradarLiveOdds>
```

XML attributes definition

Element	Attributes		
	Attribu te	Desctiption	Possible values
CoverageInfo	-	The element containing all the coverage information	-
Type	-	The element contains the name of the coverage info type	String
	id	The id of the coverage info type	Integer

Meta information message with information about the sport

In order to get extra sport information in the meta information messages the correct XML configuration needs to be enabled.

```
<BetradarLiveOdds xmlns="http://www.betradar.com/BetradarLiveOdds"
status="meta" timestamp="1405677142338">
<Match active="1" booked="1" matchid="4972075" status="not_started">
<MatchInfo>
<DateOfMatch>1405677600000</DateOfMatch>
<Sport id="1">Soccer</Sport>
<Category id="5">Norway</Category>
<Tournament id="5">Eliteserien</Tournament>
<HomeTeam id="5020" uniqueid="1161">ROSENBORG BK</HomeTeam>
<AwayTeam id="5293699" uniqueid="678">HØNEFOSS BK</AwayTeam>
<TvChannels/>
<ExtraInfo>
<Info type="PeriodLength">45</Info>
<Info type="OvertimeLength">15</Info>
</ExtraInfo>
<Streaming/>
</MatchInfo>
</Match>
</BetradarLiveOdds>
```

XML attributes definition

Element	Attributes		
	Attribute	Description	Possible values
Extrainfo	-	The element containing all the extra information for the sport.	
Info	-	The element contains the value of the extra information type.	String
	type	The id of the coverage info type	String

Meta information message with competitors pr team

For Tennis doubles matches, the meta information can hold info regarding the individual players within a team. **Please note** that tennis players are sent as team IDs.

XML example

```
<BetradarLiveOdds xmlns="http://www.betradar.com/BetradarLiveOdds"
status="meta" timestamp="1489592713569">
<Match active="1" booked="1" matchid="11257013" status="not_started">
<MatchInfo>
<DateOfMatch>1489592925481</DateOfMatch>
<Sport id="5">Tennis</Sport>
<Category id="6">WTA</Category>
<Tournament id="57144">Indian Wells, USA, Doubles</Tournament>
<HomeTeam id="7057978" uniqueid="138370">HRADECKA L / SINIAKOVA K<
/HomeTeam>
<AwayTeam id="9547077" uniqueid="320177">ARRUABARRENA L / LIANG C<
/AwayTeam>
<HomeCompetitors>
<Team id="541426" uniqueid="19331">HRADECKA, LUCIE</Team>
<Team id="6226593" uniqueid="72376">SINIAKOVA, KATERINA</Team>
</HomeCompetitors>
<AwayCompetitors>
<Team id="5395461" uniqueid="46448">ARRUABARRENA-VECINO, LARA</Team>
<Team id="1122536" uniqueid="49884">LIANG, CHEN</Team>
</AwayCompetitors>
<TvChannels/>
</MatchInfo>
</Match>
</BetradarLiveOdds>
```

XML attributes definition

Element	Attributes		
	Attr ibute	Description	Possibl e values
HomeCom petitors	-	The element containing individual competitors (teams) for home team	-
AwayComp etitors	-	The element containing individual competitors (teams) for away team	-
Team	-	The element contains the name of the team	String
	id	The id of the team in this tournament	Integer
	uni que id	The id of the team in all tournaments. Optional attribute, should only be used to identify that two teams in different tournaments are the same.	Integer

Back to top