LO - Odds



The main purpose of the Betradar system is to supply information about odds. The odds are listed per match. Each Match element contains all markets the Betradar system delivers for this match. Per market the odds are added in subelements called OddsField, if that market is currently active.

XML example

```
<BetradarLiveOdds xmlns="http://www.betradar.com/BetradarLiveOdds"
status="change" timestamp="1199777659034">
<Match active="1" betstatus="started" earlybetstatus="stopped" matchid="
5984472" matchtime="38" msgnr="155" score="1:0" setscores="1:0"
status="1p" >
<Odds active="1" changed="true" combination="0" freetext="Total Corners"
id="57178832" mostbalanced="0" specialoddsvalue="7.5"
subtype="126" type="ftnw" typeid="8">
<OddsField active="1" type="under" typeid="373">2.6</OddsField>
<OddsField active="1" type="over" typeid="374">1.45</OddsField>
</0dds>
<Odds active="1" changed="false" combination="0" freetext="Asian
handicap first half" ftr="-0.25" id="57178580" mostbalanced="1"
specialoddsvalue="-1.25" subtype="36" type="ft2w" typeid="7">
<OddsField active="1" type="1" typeid="17">2.8</OddsField>
<OddsField active="1" type="2" typeid="18">1.4</OddsField>
</Odds>
<Odds active="0" changed="false" combination="0" freetext="1st Half -
Corner Handicap" id="57173070" mostbalanced="0"
specialoddsvalue="-1.5" subtype="123" type="ft2w" typeid="7"/>
<!-- Additional odds possible -->
</Match>
</BetradarLiveOdds>
```

XML attributes definition

Element	Attributes			
	Attrib ute	Description	Possible values	
Odds	active	Whether the market is currently active for this match. If the market is not active no odds (OddsField subelements) will be present.	Integer • 1 = active • 0 = not active	
	chan ged	Whether the market is updated since last time.	String • true = The market is updated • false = the market is not updated	
	comb ination	This attribute is no longer in use, and will therefore always have the value 0.	0	
	freet ext	Optional, only included if the market is a freetext market. Textual representation which tells what kind of freetext market this is.	String	
	id	This is a unique identifier for this particular market in this match, and will be used whenever this market are sent out. This id will be used when this market is cleared.	Number	
	speci alodd svalue	This indicates the total value, handicap value or freetext details. Used for the following odds types: total, handicap and freetext3way/ 2way/nway.	String	
	ftr	Optional, only included in soccer matches if the corresponding XML configuration is activated. Contains the handicap value for the rest of the match.	Number	
	subty pe	Optional, only included if the market is a freetext market. Identifier which tells what kind of freetext market this is.	Number	
	type	Textual representation of the market type.	String See the list with possible market types and ids below	
	typeid	This is a numeric id for the market type, and will be the same for that market type in all matches.	Number See the list with possible market types and ids below	
OddsField	active	Whether this odds for this market is still offered.	 Integer 1 = active 0 = not active 	
	type	The name of the odds field.	String	
	typeid	Optional, only included if the corresponding XML configuration is activated. Contains a numeric identifier of the odds field.	Integer	

Market types

Market	Value <i>type</i> attribute	Value <i>typeid</i> attribute
3-Way	3w	2
Handicap	hc	4
Total	to	5
freetext3way	ft3w	6
freetext2way	ft2w	7
freetextnway	ftnf	8

We constantly extend our betting offer and markets offered. If you have special requests, please forward this to our support team, and we will collect all requests and consider them for upcoming development.

Betradar support

If you need information outside of what is provided in this document, or something is unclear, please feel free to contact our support team.

EMAIL: Support@betradar.com

PHONE: +41 71 517 72 00

Back to top