

LO - Undo bet cancellation

When, for some reason, a bet type is canceled but it should not have been canceled, this can be undone. The status attribute will be changed to show the following:

XML example

```
<BetradarLiveOdds xmlns="http://www.betradar.com/BetradarLiveOdds"
status="undocancelbet" timestamp="1199783156940">
<Match active="1" betstatus="stopped" matchid="661373" msgnr="49"
status="not_started">
<Odds active="1" combination="0" freetext="Next goal" id="13792"
specialoddsvalue="0:0" subtype="13" type="ft3w" typeid="6"/>
</Match>
</BetradarLiveOdds>
```

XML example

```
<BetradarLiveOdds xmlns="http://www.betradar.com/BetradarLiveOdds"
endtime="1414485300000" starttime="1414484460000"
status="undocancelbet" timestamp="1414485318193">
<Match active="1" betstatus="stopped" earlybetstatus="stopped" matchid="
2097712" msgnr="24872" status="not_started">
<Odds active="1" combination="0" freetext="Correct score flex" id="
1887907" specialoddsvalue="0:0" subtype="104" type="ftnw" typeid="8"/
>
</Match>
</BetradarLiveOdds>
```

XML elements and attributes

Element	Attributes		
	Attribute	Description	Possible values
BetradarLiveOdds	status	What kind of information is contained in the message.	String "undocancelbet" (in case of an undocancelbet message)
	starttime	Optional attribute. If starttime and endtime are set, only the cancellation for this bet type with the same time interval should be undone.	Timestamp in UTC
	endtime	Optional attribute. If starttime and endtime are set, only the cancellation for this bet type with the same time interval should be undone.	Timestamp in UTC
Odds	id	Unique identifier which corresponds to the odds elements in the previously sent out odds change messages and cancelbet messages.	Integer

Note

Cancelbet messages either cover the whole bet type (from beginning to end) or a specific interval. When a cancelbet message has to be undone, it's only possible to undo the cancellation of either the whole bet type, or (one of) the intervals specified.